


Oil Pattern Distance	46	Reverse Brush Drop	39	Oil Per Board	50 ul
Forward Oil Total	14.85 mL	Reverse Oil Total	12.15 mL	Volume Oil Total	27 mL
Tank Configuration	N/A	Tank A Conditioner	Fire	Tank B Conditioner	Ice

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	4	18	A	148	0.0	7.6	7.6	7400
2	10L	10R	4	18	A	84	7.6	17.8	10.2	4200
3	14L	14R	5	18	A	65	17.8	30.5	12.7	3250
4	2L	2R	0	22	A	0	30.5	35.0	4.5	0
5	2L	2R	0	26	A	0	35.0	46.0	11.0	0

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	26	A	0	46.0	41.0	-5.0	0
2	13L	13R	3	18	A	45	41.0	33.4	-7.6	2250
3	11L	11R	4	18	A	76	33.4	23.2	-10.2	3800
4	9L	9R	1	14	A	23	23.2	21.3	-1.9	1150
5	6L	6R	1	14	A	29	21.3	19.4	-1.9	1450
6	4L	4R	1	14	A	33	19.4	17.5	-1.9	1650
7	2L	2R	1	14	A	37	17.5	15.6	-1.9	1850
8	2L	2R	0	10	A	0	15.6	0.0	-15.6	0



Cleaner Ratio Main Mix NA Forward
 Cleaner Ratio Back End Mix NA Reverse
 Cleaner Ratio Back End Distance NA Combined
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	3.87	2.03	1.04	1.04	2.03	3.87

