


Oil Pattern Distance	42	Reverse Brush Drop	37	Oil Per Board	50 ul
Forward Oil Total	18.5 mL	Reverse Oil Total	12.3 mL	Volume Oil Total	30.8 mL
Tank Configuration	N/A	Tank A Conditioner	Fire	Tank B Conditioner	Ice

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	2	14	A	74	0.0	1.9	1.9	3700
2	3L	3R	2	14	A	70	1.9	5.8	3.9	3500
3	7L	7R	3	18	A	81	5.8	13.4	7.6	4050
4	8L	8R	1	18	A	25	13.4	15.9	2.5	1250
5	9L	9R	2	18	A	46	15.9	21.0	5.1	2300
6	11L	11R	3	22	A	57	21.0	30.3	9.3	2850
7	12L	12R	1	22	A	17	30.3	33.4	3.1	850
8	12L	12R	0	26	A	0	33.4	42.0	8.6	0

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	26	A	0	42.0	34.0	-8.0	0
2	12L	12R	3	22	A	51	34.0	24.7	-9.3	2550
3	10L	10R	2	22	A	42	24.7	18.5	-6.2	2100
4	8L	8R	1	18	A	25	18.5	16.0	-2.5	1250
5	6L	6R	2	14	A	58	16.0	12.1	-3.9	2900
6	4L	4R	1	14	A	33	12.1	10.2	-1.9	1650
7	2L	2R	1	14	A	37	10.2	8.3	-1.9	1850
8	2L	2R	0	14	A	0	8.3	0.0	-8.3	0



Cleaner Ratio Main Mix: NA Forward
 Cleaner Ratio Back End Mix: NA Reverse
 Cleaner Ratio Back End Distance: NA Combined
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100

--

Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	3.33	1.35	1	1	1.35	3.33

